

4.23 COMPUTER STUDIES (451)

4.23.1 Computer Studies Paper 1 (451/1)

1.	<p>(a) CAD - Computer aided design. (b) DVD - Digital video disk/ digital versatile disk. (c) WORM - Write once read many. (d) POS - Point of sale/point of sale terminal.</p> <p style="text-align: right;">4 @ $\frac{1}{2}$ mark each = 2 marks</p>
2.	<ul style="list-style-type: none"> - Indexing becomes easier. - Minimises on memory used. - Ease of data entry. - Reduces redundancies/double entry. - Speedy searches due to shortened comparisons - Simplifies validation <p style="text-align: right;">any 3 @ 1 mark = 3 marks</p>
3.	<p>In cc, all the recipients of the mail are able to see other recipients of the same mail. Bcc: In Bcc, all recipients of the mail are not able to see other recipients.</p> <p style="text-align: right;">2 marks</p>
4.	<ul style="list-style-type: none"> - Risk of electric shocks to the users. - Risk of fire outbreaks in the laboratory. - Risk of tripping and injuries. - Power interruption caused by stumbling on the cables. <p style="text-align: right;">Any 3 @ 1 mark = 3 marks</p>
5.	<p>List two career opportunities associated with computer networking.</p> <ul style="list-style-type: none"> - Network administrators - Network engineers - Network technicians <p style="text-align: right;">Any 2 @ 1 mark = 2 marks</p>
6.	<p>(a) Row 1 or 1 1 mark</p>
7.	<p>(b) = $D2 * E2$; = product (D2, E2) OR = Product (D2: E2) 2 marks</p> <ul style="list-style-type: none"> - Customised to suit business needs of the organisation. - It can be upgraded as needed by the organisation. - The organisation can have a module that the competitors don't have. - The organisation develops only the modules needed/memory optimization, or storage/space. <p style="text-align: right;">2 marks</p>

8.	<p>(a) Hybrid topology/tree/hierarchical (1 mark)</p> <p>(b) Star and Bus topologies (line/linear) (2 marks)</p>	
9.	<p>(a) The implementation strategy is: - phased change-over/modular</p>	(1 mark)
	<p>(b) Reasons for partial approach.</p> <ul style="list-style-type: none"> - It gives employees opportunity to learn - Organization can revert to old system in case of failure. - Reduces resistance by employees. 	Any 2 @ 1 mark = (2 marks)
10.	<p>(a) Importance of disk partitioning.</p> <ul style="list-style-type: none"> - Disk partitioning enhances logical management of files since files can be grouped into partitions based on their roles. - Enhances disk maintenance since partitions can be formatted, deleted or modified individually without affecting files stored in other partitions. - Partitioning helps in virus management. This is done by keeping system files in one partition with limited access rights. Viruses would therefore lack access to the system files. - Enables installation of more than one operation system. 	(2 marks)
	<p>(b) Difference between pull-down and pop-up menus</p> <p>A pull-down menu is a list of commands that appears as a list from the menu bar going down which is invoked by the click or alt key whereas a pop-up menu is a list that appears anywhere on the screen when there is a click.</p>	(2 marks)
11.	<p>Negative social impact of ICTs</p> <ul style="list-style-type: none"> - Internet addiction - Privacy violation - Exploitation (sexual) through Ponography - Crime - fraud on the internet - Cyber terrorism - Recuirment to drug trafficking/drug abuse 	Any 3 @ 1 mark each = (3 marks)
12.	<p>Explanation of DTP preference over word processor in designing a publication.</p> <p>DTP is designed with facilities to support and manipulate graphics that are not found in traditional wordprocessors. eg. the facilities are such as page layout, colour libraries and object layering.</p>	(2 marks)

(1)

13.	<p>Possible causes of Hard disk blinking.</p> <ul style="list-style-type: none"> - Virus executing itself. - Updating of some software applications. - Network access taking place. <p style="text-align: right;">Any 2@ 1 mark = (2 marks)</p>																																													
14.	<p>Compatibility factors on computer choice.</p> <ul style="list-style-type: none"> - Compatibility with available software. Being able to have the available software installed. - Having the available peripherals in the market being able to be connected. <p style="text-align: right;">(2 marks)</p>																																													
15.	<p>Appropriate output devices</p> <ul style="list-style-type: none"> (i) Carbon copies - impact printers e.g. dot matrix. (ii) Architectural design - plotter (iii) Visual impairment - speakers/ brailles. 																																													
16.	<p>(a) (i) Output from the flow chart if:</p> <p>(I) $X = 5$, (II) $X = 7$</p> <p>(I) when $X = 5$, output = 15 (2 marks)</p> <table border="1" data-bbox="342 919 753 1236" style="margin-left: auto; margin-right: auto;"> <thead> <tr> <th>x</th> <th>S</th> <th>N</th> </tr> </thead> <tbody> <tr> <td>5</td> <td>0</td> <td>0</td> </tr> <tr> <td></td> <td>1</td> <td>1</td> </tr> <tr> <td></td> <td>3</td> <td>2</td> </tr> <tr> <td></td> <td>6</td> <td>3</td> </tr> <tr> <td></td> <td>10</td> <td>4</td> </tr> <tr> <td></td> <td>15</td> <td>5</td> </tr> </tbody> </table> <p>(II) when $X = 7$, output = 28 (2 marks)</p> <table border="1" data-bbox="342 1318 753 1682" style="margin-left: auto; margin-right: auto;"> <tbody> <tr> <td>7</td> <td>0</td> <td>0</td> </tr> <tr> <td></td> <td>1</td> <td>1</td> </tr> <tr> <td></td> <td>3</td> <td>2</td> </tr> <tr> <td></td> <td>6</td> <td>3</td> </tr> <tr> <td></td> <td>10</td> <td>4</td> </tr> <tr> <td></td> <td>15</td> <td>5</td> </tr> <tr> <td></td> <td>21</td> <td>6</td> </tr> <tr> <td></td> <td>28</td> <td>7</td> </tr> </tbody> </table>	x	S	N	5	0	0		1	1		3	2		6	3		10	4		15	5	7	0	0		1	1		3	2		6	3		10	4		15	5		21	6		28	7
x	S	N																																												
5	0	0																																												
	1	1																																												
	3	2																																												
	6	3																																												
	10	4																																												
	15	5																																												
7	0	0																																												
	1	1																																												
	3	2																																												
	6	3																																												
	10	4																																												
	15	5																																												
	21	6																																												
	28	7																																												

(ii) Pseudocode for the flowchart is:


- | | | |
|---|---|-----------------------|
| ① | Input X ✓ | ($\frac{1}{2}$ mark) |
| ② | Initialize the sum
sum = 0 ✓ | (1 mark) |
| ③ | Initialize the term N,
N = 0 ✓ | ($\frac{1}{2}$ mark) |
| ④ | Increment N by 1
N = N + 1 ✓ | ($\frac{1}{2}$ mark) |
| ⑤ | Add the new value of N to sum;
Sum = Sum + N ✓ | (1 mark) |
| ⑥ | IF N = X ✓
Go to step 7

ELSE ✓
Go to step 4 ✓

ENDIF | (1 mark) |
| ⑦ | Print sum ✓ | ($\frac{1}{2}$ mark) |
| ⑧ | End. | |

10 statements @ $\frac{1}{2}$ mark each = (5 marks)

(iii) Modifying the flowchart sum between 50 and 100



Logic = 2 marks

(b) Language translators

- Assemblers
- Compilers
- Interpreters

Any 2@ 1 mark each = 2 marks

SECTION B

17.	<p>(a) Validation checks</p> <ul style="list-style-type: none"> • Range checks: checks that data lies within a range of values. • Presence checks: checks that data is there and has not been missed out. • Length checks: checks that fields are of the right number of characters. • Type checks: checks that the data is of the right type. • Format checks: checks whether data is in the correct format. 	
	Any 3 x 2	6
	<p>(b) Methods to prevent unauthorised access:</p> <ul style="list-style-type: none"> - Password: A secret word; a string of characters known only to a restricted group for authentication. - User Access levels: A case where each group is granted different levels of access - User Access rights: An individual is granted access or denied access to resources. 	
	Any 2 x 2	4
	<p>(c) (i) (I) Real-time In a real-time processing, there is a continual input, process and output of data instantaneously upon receipt of command.</p> <p style="padding-left: 20px;">(II) Interactive processing A computer processing in which the user can modify the operation appropriately while observing results at critical steps.</p> <p>(ii) Application area for real-time mode Airline booking, medical system, car tracking system, hotel booking system, banking system.</p>	2 2
	Any 1 @ 1 mark	1
18.	<p>Definition of a laptop computer</p> <p>(a) (i) Is a portable computer small enough to be used on laps. (evidence of portability, mobility, small size)</p>	1
	<p>17" screen</p> <p>(ii) Diagonal length of the screen. An indication of the size of the screen. (mention of size only 1 mark)</p>	2
	<p>(b) Advantages of the following:</p> <p>(i) modem</p> <ul style="list-style-type: none"> - For internet connectivity - Converts analog signal to digital signals and vice versa. - It is wireless technology of internet at any point. 	1
	<p>(ii) USB</p> <ul style="list-style-type: none"> - Most peripheral devices are connected to the computer via USB ports. - Has high speed rate. - Supports both power and data transmission. - One USB can support 127 devices at a time. 	1

	(iii) Free suite: The user is not required to buy a licence for use of the software. (several software packed as one)	1
	(c) Package suitability (i) Computing budgets - spreadsheets. (ii) Creating documents - word processor. (iii) Designing brochures - DTP. (iv) Records management - Databases/spreadsheet.	
	Any 4 x 1	4
	(d) (i) Three advantages of using a computer for designing an advert such as the one in fig. 4 - Advert can be stored for future use. - Modification of the advert is easy. - Ease of design due to tools and template availability advantages/does not require an expert. - Ease of upload. - Can be electronically sent.	
	Any 3 x 1	3
	(ii) 2 benefits of Internet advertising as in figure 4. - Wider coverage. - Feedback from viewers/ visitors can be received instantly. - Service is throughout. - cost is low.	
	Any 2 x 1	2
19.	(a) E-mail: - used to send and receive electronic documents to/from the office. - receive instructions from the supervisor or co-workers. (any e-mail related work) Fax: - Used to send documents which are in non-electronic format (any fax related work) Digital camera - Used to capture images in picture form/video conferencing. Firewall - Used to prevent intrusion to the home computer because telecommuting involves connection to the internet.	2 2 2 2
	(b) - Communication systems may fail/communication channel may fail. - The document sent may get lost due to sending to wrong address. - The documents may be re-used or updated. - Malfunctioning of either sending/ receiving computers (failure of DTE).	
	Any 3 x 1	3

	<p>(c) - Employer will only pay for work done. - The working time is not limited to official working hours/office available 24 hours. - Employer saves on office space. - Does not have to pay for commuter allowance. - Employer may not require permanent employees. - Employer may outsource expert skills that are not available locally.</p>				
	Any 2 x 2	4			
20.	<p>(a) (i) In one's complement, a negative number is represented by taking all its bits in the positive number and inverting them. In two's complement, you start with one's complement but add 1 to the results.</p> <p style="text-align: center;">OR</p> <p>In two's complement, there are no two ways of presenting a zero. In one's complement, overflow bit is added back to the answer but ignored in two's complement.</p>	2			
	<p>(ii) Binary number system over decimal</p> <ul style="list-style-type: none"> - it is easy to program. - uses bi-state devices which can either be ON or OFF. - Binary can be used to represent all types of data. 	2			
	<p>(b) (i) Subtract $1\ 00011_2$ from 010010_2 using one's complement method.</p> $\begin{array}{r} 0\ 1\ 0\ 0\ 1\ 0 \\ +\ 0\ 1\ 1\ 1\ 0\ 0 \\ \hline 1\ 0\ 1\ 1\ 1\ 0 \end{array}$ <p style="text-align: center;">√ 2 marks (Complement of 1 0 0 0 1 1) √ 2 marks</p>				
		4			
	<p>(ii) $21.0\ 3\ 1\ 2\ 5_{10}$ to its binary equivalent.</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 33%; vertical-align: top;"> $\begin{array}{r l} 2 & 21 \\ 2 & 10\ R1 \\ 2 & 5\ R0 \\ 2 & 2\ R1 \\ 2 & 1\ R0 \\ 2 & 0\ R1 \end{array}$ <p style="text-align: right;">(2 marks)</p> </td> <td style="width: 33%; vertical-align: top;"> $\begin{array}{l} 0.03125 \times 2 = 0.0625 \\ 0.0625 \times 2 = 0.125 \\ 0.125 \times 2 = 0.25 \\ 0.25 \times 2 = 0.50 \\ 0.50 \times 2 = 1.00 \end{array}$ </td> <td style="width: 33%; vertical-align: top;"> $\begin{array}{r l} 0 & \\ 0 & \\ 0 & \\ 0 & \\ 1 & \end{array}$ <p style="text-align: right;">(2 marks)</p> </td> </tr> </table> <p style="text-align: center;">$\Rightarrow 1\ 0\ 1\ 0\ 1.0\ 0\ 0\ 0\ 1_2$ √ 1 mark</p>	$\begin{array}{r l} 2 & 21 \\ 2 & 10\ R1 \\ 2 & 5\ R0 \\ 2 & 2\ R1 \\ 2 & 1\ R0 \\ 2 & 0\ R1 \end{array}$ <p style="text-align: right;">(2 marks)</p>	$\begin{array}{l} 0.03125 \times 2 = 0.0625 \\ 0.0625 \times 2 = 0.125 \\ 0.125 \times 2 = 0.25 \\ 0.25 \times 2 = 0.50 \\ 0.50 \times 2 = 1.00 \end{array}$	$\begin{array}{r l} 0 & \\ 0 & \\ 0 & \\ 0 & \\ 1 & \end{array}$ <p style="text-align: right;">(2 marks)</p>	5
$\begin{array}{r l} 2 & 21 \\ 2 & 10\ R1 \\ 2 & 5\ R0 \\ 2 & 2\ R1 \\ 2 & 1\ R0 \\ 2 & 0\ R1 \end{array}$ <p style="text-align: right;">(2 marks)</p>	$\begin{array}{l} 0.03125 \times 2 = 0.0625 \\ 0.0625 \times 2 = 0.125 \\ 0.125 \times 2 = 0.25 \\ 0.25 \times 2 = 0.50 \\ 0.50 \times 2 = 1.00 \end{array}$	$\begin{array}{r l} 0 & \\ 0 & \\ 0 & \\ 0 & \\ 1 & \end{array}$ <p style="text-align: right;">(2 marks)</p>			
	<p>(c) Binary operations</p> $\begin{array}{r} 1\ 1\ 0\ 1 \\ 1\ 1\ 0\ 1\ 1\ + \\ \quad 1\ 0\ 1 \\ \hline 1\ 1\ 1\ 1\ 1 \\ \hline 1\ 0\ 0\ 1\ 1\ 0\ 0_2 \end{array}$	2			

4.23.2 Computer Studies Paper 2 (451/2)

Q.	Section		Activity	Marks
1	a	(i)	Creating a database named PATIENTSINFO Caps $\frac{1}{2}$ mark, lower $\frac{1}{2}$ mark or none	1
		(ii)	Table 1 Creating and naming the table (Patients) 1 mark Creating and naming fields (underscored or joined or spaced) 4 fields @ $\frac{1}{2}$ mark each Correct field data types 4 @ $\frac{1}{2}$ mark each	1 2 2
			Table 2 Creating and naming the table (Doctors) 1 mark Creating and naming fields 2 @ $\frac{1}{2}$ mark each Correct data types: 2 @ $\frac{1}{2}$ mark each	1 1 1
			Table 3 Creating and naming the table (Consultations) 1 mark Creating and naming fields 5 @ $\frac{1}{2}$ mark each Correct data types 5 @ $\frac{1}{2}$ mark each	1 2 $\frac{1}{2}$ 2 $\frac{1}{2}$
		(iii)	Primary keys Table 1: Patients number 1 mark Table 2: Doctors number 1 mark Table 3: Consultation number 1 mark	1 1 1
		(iv)	Two relationships (correct fields) 2 @ 1 mark each	2
				20 marks
	(b)	(i)	Creating data entry forms (forms with all fields) 3 @ 1 mark	3
		(ii)	Data entry - 18 records @ $\frac{1}{2}$ mark (all correct fields)	9
				12 marks
	(c)	(i)	Display of patient names and gender @ $\frac{1}{2}$ mark Naming query - Patient Age @ $\frac{1}{2}$ mark Computation age column Age(Year[consultation date]-[year of birth]) $\frac{1}{2}$ 1 mark 1 mark	1 $\frac{1}{2}$ 2 $\frac{1}{2}$
		(ii)	Selecting correct fields - Name Ailment $\frac{1}{2}$ mark, Consultation date $\frac{1}{2}$ mark, Criteria - Beatrice $\frac{1}{2}$ Doctor name = "Beatrice" 1 mark	1 $\frac{1}{2}$ 1

Q.	Section		Activity	Marks
			Saving the query - Beatricedetails $\frac{1}{2}$ mark	$\frac{1}{2}$
				7 marks
	(d)	(i)	Selection of tables patients and doctors @ $\frac{1}{2}$ mark Selection of fields 4 (Names, Consultation date, ailment, names of doctors) @ $\frac{1}{2}$ mark Grouping (patient name) 1 mark Grouping total (count of number of consultations) 1 mark	1 2 1 1
		(ii)	Saving the report - Consultations 1 mark Report title - Consultations per patient 1 mark	1 1
				7 marks
	(e)	(i)	Printing 3 tables @ $\frac{1}{2}$ mark each	$1\frac{1}{2}$
		(ii)	Printing 2 queries @ $\frac{1}{2}$ mark each	1
		(iii)	Printing 1 report @ 1 mark	1
		(iv)	Printing 1 form (consultation) @ $\frac{1}{2}$	$\frac{1}{2}$
				4 marks
2.	(a)		Margin - page layout 4 @ $\frac{1}{2}$ mark each Orientation (order/arrangement of back/spine/front) $\frac{1}{2}$ mark Paper size $\frac{1}{2}$ mark Saving (Book Cover) 1 mark Fit of the three parts - back, spine and front	2 $\frac{1}{2}$ $\frac{1}{2}$ 1 1
				5 marks
			FRONT COVER	
	(b)		Authors / Rectangle	
			Text typing 1 mark text either case $\frac{1}{2}$ mark	1
			Text box positioning/text position at centre $\frac{1}{2}$ mark	$\frac{1}{2}$
			Insertion of Rectangle/text-box $\frac{1}{2}$ mark	$\frac{1}{2}$
			Fill type (gradient shading)/gradient centre $\frac{1}{2}$ mark	$\frac{1}{2}$
			Positioning the rectangle $\frac{1}{2}$ mark	$\frac{1}{2}$
			Size $\frac{1}{2}$ mark	$\frac{1}{2}$
			Inserting textbox/thick outline border $\frac{1}{2}$ mark	$\frac{1}{2}$
				4 marks
			Book title text typing (capital) text + title case 1 mark positioning in relation to the front cover $\frac{1}{2}$ mark	$1\frac{1}{2}$ marks

Q.	Section	Activity	Marks
		Computer Position of the computer $\frac{1}{2}$ mark Drawing four polygons 4 @ $\frac{1}{2}$ mark Filling polygons 4 @ $\frac{1}{2}$ mark penalise $\frac{1}{2}$ mark for wrong shading	$\frac{1}{2}$ 2 2 marks
			4$\frac{1}{2}$marks
		Stars Six sided star 1 mark / 5 sided and 8 sided $\frac{1}{2}$ mark No outline $\frac{1}{2}$ mark Fill pattern $\frac{1}{2}$ mark Positioning star 1 and star 2 @ $\frac{1}{2}$ mark Copying and pasting star $\frac{1}{2}$ mark	1 $\frac{1}{2}$ $\frac{1}{2}$ 1 $\frac{1}{2}$
			3$\frac{1}{2}$ marks
		Lower rectangle Positioning $\frac{1}{2}$ mark Sizing $\frac{1}{2}$ mark Outline (bigger) $\frac{1}{2}$ mark Filling (fill) different from the border $\frac{1}{2}$ mark	$\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$
			2 marks
		Revised edition triangle Right angled triangle $\frac{1}{2}$ mark Positioning $\frac{1}{2}$ mark Fill (white) - no shade $\frac{1}{2}$ mark Text typing 1 mark (award $\frac{1}{2}$ mark is test is in one line) Textbox rotation 1 mark	$\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ 1 1
			3$\frac{1}{2}$ marks
		Quick revision guide Typing text (text & caps + initial) 1 mark Background colour of the textbox $\frac{1}{2}$ mark Positioning of textbox $\frac{1}{2}$ mark	1 $\frac{1}{2}$ $\frac{1}{2}$
			2 marks
		Nyota Publishing Press Typing Text 1 mark Text $\frac{1}{2}$ mark case $\frac{1}{2}$ mark Positioning of textbox $\frac{1}{2}$ mark	1 $\frac{1}{2}$
			1$\frac{1}{2}$ marks

Q.	Section	Activity	Marks
		Spine Typing of text (text & case) 1 mark Rotating 1 mark Positioning of text box $\frac{1}{2}$ mark Background (fill pattern) $\frac{1}{2}$ mark Fitting in between $\frac{1}{2}$ mark	1 1 $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$
			3$\frac{1}{2}$ marks
		Star Spine star Resizing/ 1 star fitting inside the spine $\frac{1}{2}$ mark Shading $\frac{1}{2}$ mark Copying star/existence of the star $\frac{1}{2}$ mark Positioning $\frac{1}{2}$ mark Positioning star 2 $\frac{1}{2}$ mark	$\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ marks
			2$\frac{1}{2}$ marks
		BACK PAGE Big rectangle Outline (thick border) $\frac{1}{2}$ mark Fitting $\frac{1}{2}$ mark Filling/any fill $\frac{1}{2}$ mark Positioning $\frac{1}{2}$ mark	$\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$
			2 marks
		Rounded rectangle Outline (none) $\frac{1}{2}$ mark Filling (no fill)/ white $\frac{1}{2}$ mark Positioning/placement $\frac{1}{2}$ mark Sizing/fitting proportional to the rectangle $\frac{1}{2}$ mark Correct shape $\frac{1}{2}$ mark	$\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$
			2$\frac{1}{2}$ marks
		Text in rounded rectangle Typing text 4 paragraphs (existence and completeness) @ 1 mark x 4 Bullets (style & character) $\frac{1}{2}$ mark x 2 Paragraphing (spacing) $\frac{1}{2}$ mark title case -last paragraph $\frac{1}{2}$ mark	4 1 $\frac{1}{2}$ $\frac{1}{2}$
			6 marks

Q.	Section	Activity	Marks
		ISBN rectangle Text ISBN 214s @ 1 mark Bars varying thickness @ 1 mark Position of ISBN and Bars @ $\frac{1}{2}$ mark No fill ISBN and bars @ $\frac{1}{2}$ mark	1 1 $\frac{1}{2}$ $\frac{1}{2}$ marks
			3 marks
		Text at bottom Copyright symbol $\frac{1}{2}$ mark Text and case 1 mark Positioning $\frac{1}{2}$ mark	$\frac{1}{2}$ 1 $\frac{1}{2}$
			2 marks
		Printing 1 mark	1 mark