





4.3 MATHEMATICS (121 AND 122)

4.3.1 Mathematics Alternative A Paper 1 (121/1)

1.	$\frac{36}{-12} - \frac{-108}{-27}$ $= -3 - 4$ $= -7$	M1 A1 2															
2.	(a) Mode $= 22$ (b) Median 15, 15, 16, 19, 19, 20, 20, 21, 22, 22, 22, 26, 27, 28 $\text{median} = \frac{20 + 21}{2}$ $= 20.5$	B1 M1 A1 3															
3.	<table border="1" style="margin-left: auto; margin-right: auto;"> <thead> <tr> <th>No.</th> <th>Log</th> </tr> </thead> <tbody> <tr> <td>1.794</td> <td>0.2538</td> </tr> <tr> <td>0.038</td> <td>$\overline{2.5798}$</td> </tr> <tr> <td>1.243</td> <td>2.8336</td> </tr> <tr> <td></td> <td>0.0945</td> </tr> <tr> <td></td> <td>$\overline{2.7391} \div 3$</td> </tr> <tr> <td>0.3799</td> <td>$\overline{1.5797}$</td> </tr> </tbody> </table>	No.	Log	1.794	0.2538	0.038	$\overline{2.5798}$	1.243	2.8336		0.0945		$\overline{2.7391} \div 3$	0.3799	$\overline{1.5797}$	M1 M1 M1 A1 4	all log \checkmark + and - operations \checkmark $\div 3$ \checkmark
No.	Log																
1.794	0.2538																
0.038	$\overline{2.5798}$																
1.243	2.8336																
	0.0945																
	$\overline{2.7391} \div 3$																
0.3799	$\overline{1.5797}$																
4.	$\frac{(4m + 3n)(4m - 3n)}{(4m + 3n)(m - n)}$ $= \frac{4m - 3n}{m - n}$	M1 M1 A1 3	factorizing numerator \checkmark factorizing denominator \checkmark														
5.	Retailer 130% \rightarrow 1560 100% $\rightarrow \frac{1560 \times 100}{130}$ $= 1200$ Wholesaler 120% \rightarrow 1200 100% $\rightarrow \frac{1200 \times 100}{120}$ $= 1000$	M1 M1 A1 3															

6.		B1 B1 B1 3	<p>construction of equal parts on AC</p> <p>draw $DP \parallel CB$ such that $AP = \frac{2}{7} AB$</p> <p>locating point P</p>
7.	<p>From 0700 h Monday to 1900 h Wednesday $= 24 \times 2 + 12$ h $= 60$ h</p> <p>Time lost $= 60 \times 15 = 900$ sec $= 15$ min</p> <p>Time shown on clock: 1900 h $- 15$ min $= 1845$ h</p>	M1 M1 A1 3	
8.	<p>$x + 20 = 230^\circ$ or $x + 20 = 310^\circ$ $x = 210^\circ$ or $x = 290^\circ$</p>	B1 B1 B1 3	for 230° or 310°
9.	<p>(a)</p> $\begin{array}{r} 2357_ \\ \underline{941} \\ 1416 \end{array}$ <p>(b) $1416 = 2^3 \times 3 \times 59$</p>	B1 B1 B1 3	<p>for 2357 and 941 \checkmark</p> <p>for 1416</p>
10.		B1 B1 B1 3	<p>lines AF, ED equal and parallel to BC</p> <p>lines AB, FC equal and parallel or lines AE and FD equal and parallel or lines CD, EB equal and parallel.</p> <p>completing the solid showing dotted lines.</p>

11.	$2x + \frac{1}{2}x + x + 40 + 110 + 135 + 160 + 2x + 10 + 185$ $= 1080$ $\frac{11}{2}x = 440 \Rightarrow x = 440 \times \frac{2}{11} = 80^\circ$	M1 A1 2	
12.	<p>(a) Gradient of line: $\frac{3-1}{6-2} = \frac{1}{4}$</p> <p>$\therefore$ line equation: $\frac{y-3}{x-6} = \frac{1}{4}$</p> $y-3 = \frac{1}{4}(x-6)$ $y = \frac{1}{4}x + 1\frac{1}{2}$ <p>(b) Gradient of perpendicular line $\frac{1}{4}m' = -1$ $m' = -4$</p>	M1 A1 B1 3	
13.	<p>(a) $5^2 = 7^2 + 6^2 - 2 \times 6 \times 7 \cos C$</p> $\cos C = \frac{49 + 36 - 25}{84}$ $C = 44.42^\circ$ <p>(b) $h = 7 \sin 44.42$ $= 4.9 \text{ cm}$</p>	M1 A1 M1 A1 4	
14.	<p>Volume of pipe material</p> $\frac{22}{7}(1.75^2 - 1.05^2) \times 250 \text{ cm}^3$ $= 1540 \text{ cm}^3$ <p>\therefore mass of pipe</p> $= \frac{1540 \times 1.25}{1000}$ $= 1.925 \text{ kg}$	M1 M1 M1 A1 4	

15.	$h = 2.5 \tan 54^\circ = 3.441 \text{ cm}$ <p>Area of pentagonal faces</p> $= 2\left(\frac{1}{2} \times 5 \times 3.441 \times 5\right)$ $= 86.025$ <p>Total area</p> $= 86.025 + 5(12 \times 5)$ $= 386.0$	B1 M1 M1 A1 4	
16.	<p>(a) $x - 5 \leq 3x - 8$ $-2x \leq -3$ $x \geq 1.5$</p> <p>$3x - 8 < 2x - 3$ $x < 5$</p> <p>$\therefore 1.5 \leq x < 5$</p> <p>(b) </p>	B1 B1 B1 3	

17.	<p>(a) Mass after decrease</p> $112 \times \frac{15}{16}$ $= 105 \text{ kg}$ <p>Total decrease</p> $(112 - 105) \times 540$ $= 3780 \text{ kg}$ <p>(b) (i) No. of 90 kg bags</p> $\frac{105 \times 540}{90}$ $= 630$ <p>Least number of trips</p> $\frac{630}{120}$ $= 5.25$ $\Rightarrow 6 \text{ trips}$ <p>(ii) Expenses</p> <p>buying price = 1500×630 $= 945000$</p> <p>transport = 2500×6 $= 15000$</p> <p>Total $945000 + 15000$</p> <p>Selling price per bag:</p> $= \frac{960000 \times 1.26}{630}$ $= 1920$	<p>M1</p> <p>M1</p> <p>A1</p> <p>M1</p> <p>M1</p> <p>M1</p> <p>M1</p> <p>M1</p> <p>A1</p> <p>M1</p> <p>A1</p> <p>10</p>	<p>or equivalent</p>
-----	--	---	----------------------

18.	<p>(a)</p> $(x + 3)(x - 2) = 24$ $x^2 + x - 30 = 0$ $(x + 6)(x - 5) = 0$ $x = -6 \text{ or } x = 5$ <p>(b) (i)</p> $(x + 9)x = 136$ $x^2 + 9x - 136 = 0$ $(x + 17)(x - 9) = 0$ $x = -17 \text{ or } x = 8$ $\therefore x = 8$ <p>perimeter</p> $= 2(8 + 17) = 50 \text{ m}$ <p>(ii)</p> $2x \times x = 136 - 64$ $2x^2 = 72$ $x^2 = 36$ $x = 6 \text{ m}$	<p>M1</p> <p>M1</p> <p>M1</p> <p>A1</p> <p>M1</p> <p>M1</p> <p>A1</p> <p>B1</p> <p>M1</p> <p>A1</p> <hr/> <p>10</p>	
-----	---	---	--


19.	<p>(a) $2c + 9g = 98200$ $3c + 4g = 96000$</p> <p>(b) Det. of $\begin{pmatrix} 2 & 9 \\ 3 & 4 \end{pmatrix} = -19$</p> $M' = -\frac{1}{19} \begin{pmatrix} 4 & -9 \\ -3 & 2 \end{pmatrix}$ $-\frac{1}{19} \begin{pmatrix} 4 & -9 \\ -3 & 2 \end{pmatrix} \begin{pmatrix} 2 & 9 \\ 3 & 4 \end{pmatrix} \begin{pmatrix} c \\ g \end{pmatrix} = -\frac{1}{19} \begin{pmatrix} 4 & -9 \\ -3 & 2 \end{pmatrix} \begin{pmatrix} 98200 \\ 96000 \end{pmatrix}$ $-\frac{1}{19} \begin{pmatrix} -19 & 0 \\ 0 & -19 \end{pmatrix} \begin{pmatrix} c \\ g \end{pmatrix} = -\frac{1}{19} \begin{pmatrix} -471200 \\ -102600 \end{pmatrix}$ $\begin{pmatrix} c \\ g \end{pmatrix} = \begin{pmatrix} 24800 \\ 5400 \end{pmatrix}$ <p>cost of cow = sh 24800 cost of goat = sh 5400</p> <p>(c) (i) selling price of cows = $2 \times 24800 \times 1.3$ selling price of goats = $9 \times 5400 \times 1.4$</p> <p>Total selling price = $2 \times 24800 \times 1.3 + 9 \times 5400 \times 1.4$ = 132520</p> <p>(ii) % profit</p> $= \frac{132520 - 98200}{98200} \times 100\%$ $= 34.95\%$	<p>B1 B1</p> <p>B1</p> <p>M1</p> <p>M1</p> <p>A1</p> <p>M1 A1</p> <p>M1 A1</p> <p>10</p>	
-----	--	---	--

20.	(a) (i) Time taken by Juma = $\frac{x}{40}h$	B1
	Time taken by Mutuku = $\frac{80-x}{60}$	B1
	Let x km be distance from A	
	$\therefore \frac{x}{40} - \frac{80-x}{60} = \frac{1}{2}$	M1
	$\frac{3x - 2(80-x)}{120} = \frac{1}{2}$	
	$2(5x - 160) = 120$	M1
	$10x = 440$	
	$x = 44 \text{ km}$	A1
	(ii) Time they met	
	$10.00 \text{ am} + \frac{44}{40}h$	
$= 10.00 + 1 \text{ h } 6 \text{ min}$	M1	
$= 11.06 \text{ am}$	A1	
(b) Speed if Kamau delayed by 21 minutes		
Kamau's time = $\left(\frac{44}{40} - \frac{21}{60}\right)h$	M1	
$= \frac{3}{4}h$		
\therefore speed needed: $\frac{44}{\frac{3}{4}}$	M1	
$= 58\frac{2}{3} \text{ km/h}$	A1	
	10	

21.	<p>(a) Displacement, s, when $t = 2$ $2^3 - 5 \times 2^2 + 3 \times 2 + 10$ $= 4$</p> <p>(b) (i) velocity when $t = 5$ seconds</p> $V = \frac{ds}{dt} = 3t^2 - 10t + 3$ <p>when $t = 5$, $V = 3 \times 5^2 - 10 \times 5 + 3$ $= 28$</p> <p>(ii) $3t^2 - 10t + 3 = 0$ $(3t - 1)(t - 3) = 0$ $t = \frac{1}{3}, \quad t = 3$</p> <p>(c) time when velocity of particle is at its maximum</p> <p>acceleration $= \frac{dv}{dt} = 6t - 10 = 0$</p> $t = \frac{10}{6} = 1\frac{2}{3} \text{ s}$	<p>M1 A1</p> <p>B1</p> <p>M1 A1</p> <p>M1 M1 A1</p> <p>M1</p> <p>A1</p> <p>10</p>	
-----	---	---	--

22.	(a) (i) $\underline{OB} = \underline{p} + \underline{q}$	B1	
	(ii) $\underline{AD} = -\underline{p} + \frac{3}{5} \times 5\underline{q}$	M1	
	$= -\underline{p} + 3\underline{q}$	A1	
	(iii) $\underline{CB} = -5\underline{q} + \underline{p} + \underline{q}$	M1	or equivalent
	$= -4\underline{q} + \underline{p}$	A1	
	(b) $\underline{AX} = k(\underline{AD})$		
	$= k(-\underline{p} + 3\underline{q})$	B1	
	$= -k\underline{p} + 3k\underline{q}$		
	also		
	$\underline{AX} = -\underline{p} + r(\underline{OB})$		
	$= -\underline{p} + r(\underline{p} + \underline{q})$	B1	
	$= \underline{p}(r - 1) + r\underline{q}$		
	$\underline{p}(r - 1) + r\underline{q} = -k\underline{p} + 3k\underline{q}$	M1	
	$-k = r - 1$ and $r = 3k$		
	$-k = 3k - 1$	M1	
	$-4k = -1 \implies k = \frac{1}{4}$		
	substitute $r = 3 \times \frac{1}{4} = \frac{3}{4}$	A1	
		10	

23.



(a) ABCD ✓ drawn

(b) (i) Centre identified and used ✓

(ii) A''B''C''D''

(iii) A'''B'''C'''D'''

(c) Reflection on line $y = -x$

B1

B1

B1 AA', BB', CC' and DD' drawn ✓
B1 completion of square A'B'C'D' and labelled

B2 A''B''C''D'' drawn ✓

B2 A'''B'''C'''D''' drawn

B1 reflection

B1 line $y = -x$

10

24.	(a) (i)		
		$\frac{r}{9} = \frac{4}{12}$	M1
		$r = \frac{9 \times 4}{12} = 3 \text{ cm}$	A1
	(ii) volume of material drilled out		
		$= \frac{1}{3} \pi \times 3^2 \times 4$	M1
		$= 12 \pi$	A1
	(b) Slant height of cone		
		$= \sqrt{9^2 + 12^2} = 15 \text{ cm}$	B1
	(c) Surface area of solid after conical has been drilled		
		$\pi \times 9 \times 15 + \pi \times (9^2 - 3^2) + \pi \times 3 \times 5$	M1 for $\pi \times 9 \times 15$
	$= \pi(135 + 72 + 15)$	M1 for $\pi(9^2 - 3^2)$	
		M1 $\pi \times 3 \times 5$	
		M1 summing up	
	$= 222\pi$	A1	
		10	